

Plate/Slip Roll	MBR 2050 x 1.5	EBR 1050 x 1.5	EBR 1270 x 1.5	EBR 2050 x 1.0	EBR 1050 x 3.0	EBR 1270 x 2.5	EBR 2050 x 1.5	EBR 1050 x 2.2
Article number	500711019	500717001	500717004	500717006	500717003	500717005	500717007	500717002

Technical Specifications

Drive Mechanism	Manual	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Capacity (mm)	2050 x 1.5	1050 x 1.5	1270 x 1.5	2050 x 1.0	1050 x 3.0	1270 x 2.5	2050 x 1.5	1050 x 2.2
Machine height (mm)	1,250	960	1,200	1,200	1,200	1,200	1,200	1,200
Machine length (mm)	3,080	2,000	2,250	2,650	2,000	2,250	2,650	2,000
Machine width (mm)	700	750	750	750	750	750	750	750
Min. Bending diameter (ø mm)	143	102	113	143	135	135	143	113
Motor (HP)	N/A	2	2	2	2	2	2	2
Motor (kW)	N/A	2	2	2	2	2	2	2
Net weight (kg)	650	325	385	780	450	420	800	360
Roller diameter (ø mm)	95	68	75	95	90	90	95	75
Roller speed (m/min.)	N/A	6	6	7	6	6	7	6
Sheet thickness steel (mm)	2	2	2	1	3	3	2	2
Voltage	N/A	400V, 50 Hz, 3-Phase	400V, 50 Hz, 3-Phase	400V, 50 Hz, 3-Phase	400V, 50 Hz, 3-Phase	400V, 50 Hz, 3-Phase	400V, 50 Hz, 3-Phase	400V, 50 Hz, 3-Phase
Working length (mm)	2,050	1,050	1,270	2,050	1,050	1,270	2,050	1,050

Features

Castiron framework	•	•	•	•	•	•	•	•
Main motor with brake		•	•	•	•	•	•	•
Rotatable top roller	•	•	•	•	•	•	•	•
Motor-powered centralized rollers		•	•	•	•	•	•	•
Wire grooves	•	•	•	•	•	•	•	•
Portable Foot Control		•	•	•	•	•	•	•
CE Certified	•	•	•	•	•	•	•	•
Rollers: SAE 1050 Steel	•	•	•	•	•	•	•	•

